

## Maharashtra University of Health Sciences, Nashik

Following documents need to be available on web site

*Trust Deed / Bylaws/ Registration Certificate (Trust / Hospital (Bombay Nursing Act))*

Faculty: NURSING

Name of College/Institute :P. D. HINDUJA HOSPITAL&amp; MRC, COLLEGE OF NURSING

| Name of Trust / Society  |   | National Health and Education Society   |
|--|---|---|
| Registration Certificate<br>To be uploaded on web site clear<br>and original copy        | : | <del>Trust / Society:</del> Attached  |
|  |   | Trust Deed / Bylaws: Attached   |
|  |   | Hospital Ownership Documents: Attached  |
|  |   | Hospital (Bombay Nursing Act): Attached   |
|  |   | MPCB Certificate of Parent Hospital: Attached   |
| Hospital Type as Per Bombay Nursing Act: P.D. Hinduja Hospital & MRC                     |   |   |
| Hospital (Bombay Nursing Act) issuing Authority: Municipal Cooperation of Greater Mumbai |   |   |
| Hospital Bed as per Certificate: 337+110= 447 (Mahim + Khar)                             |   |   |
| Name of the College / Institute (As per First Affiliation letter)                        | : | P.D. HINDUJA HOSPITAL& MRC, COLLEGE OF NURSING  |
| Address  | : | D Wing, Emerald court, Kondivita Lane, Marol pipe line, Andheri (East) Mumbai 400059                  |
| Email ID   | : | nursingedu@hindujahospital.com  |
| Telephone / Mobile No.(s)  | : | 022-24232348/49   |
| Website  | : | <a href="https://nursingcollege.hindujahospital.com/">https://nursingcollege.hindujahospital.com/</a> |
| College Code   | : | UG : 6111003<br>PG: 6111084   |

Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge

Any Other, Please Specify:

---



---



---



---

Date: - 08.02.2025

Dean/ Principal Stamp &amp; Signature

*Malsolan*  
**PRINCIPAL**  
**P.D. HINDUJA COLLEGE OF**  
**NURSING Mumbai**

Chairman of LIC

Member of LIC

Member of LIC





Handwritten initials 'M.L.M.'

**Certificate of Registration** No. 31359

It is hereby certified that the Public Trust described below has this day been duly registered under the Bombay Public Trusts Act, 1950 (Bom. XXIX of 1950), at the Public Trusts Registration Office, Sealer, Bombay Region, at The National Health and Educational Society.

Number in the Register of Public Trusts F-452 (Bam)  
Certificate issued to Shri Parwanand Deepchand Hinduja

Given under my hand, this 11th day of July, 1956

Signature H.S. Mehra  
Designation Director



Principal  
P.D. HINDUJA COLLEGE OF NURSING Mumbai



**NATIONAL HEALTH AND  
EDUCATION SOCIETY**

Mumbai

--- : X : ---

**MEMORANDUM OF ASSOCIATION  
AND  
RULES AND REGULATIONS**

(Amended as on January, 2003)

--- : X : ---



*Walsalan*

PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



**MEMORANDUM OF ASSOCIATION  
OF  
THE NATIONAL HEALTH & EDUCATION SOCIETY**

1. The name of the Society is The National Health and Education Society.
2. The Registered Office of the Society will be situated in the State of Maharashtra.
3. The objects for which the Society is established are to conduct and maintain a Hospital which will hereafter be named as "Parmanand Deepchand Hinduja National Hospital & Medical Research Centre" for the reception and treatment of persons suffering from illness or the reception and treatment of persons during convalescence or of persons requiring medical attention and these activities are carried out solely for philanthropic purposes and not for the purpose of profit AND without prejudice to the generality of the foregoing :-
  - i) To conduct and maintain a Research Centre for research work in diseases, medicines and medical relief.
  - ii) To provide medical and surgical treatment to persons irrespective of caste, creed or religion whether as in-patients or out-patients.
  - iii) To provide, conduct and maintain a medical dispensing department, operation theatre, X-Ray and pathological departments, ear, nose, throat, eyes and dental clinics etc. for the benefit of the public irrespective of caste, creed or religion.
  - iv) To provide all such medical and surgical appliances and pharmaceuticals and all such provisions and necessities as may be required for the purposes aforesaid or any of them.
  - v) To equip the Hospital with all necessary furniture, fixtures, fittings, instruments and other paraphernalia for the aforesaid purposes of the Hospital.

*Malsalan*

PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai





## FORM 'C'


### Certificate of Registration under Section 5 of Maharashtra (Bombay) Nursing Homes Registration Act, 1949. Renewed


This is to certify that M/S NATIONAL HEALTH AND EDUCATION SOCIETY have been Registered under the Bombay Nursing Homes Registration Act, 1949, in respect of M/S. P.D.HINDUJA NATIONAL HOSPITAL AND MEDICAL and has been authorized to carry on the said Nursing Home.

Registration No. : 761411123  
Date of Registration : 22.11.1974  
Ward : GN  
Place : 89-F,, HINDUJA NATINAL HOSP,  
VEER SAVARKAR MARG,  
MAHIM,  
MUMBAI-400016  
Building UID :  
Total Number of Beds : 337  
Date of Issue of Certificate : 25.04.2024

This Certificate of Registration shall be valid up to 31st March 2026.

The Money collected for Nursing Home is Rs. 600.00 /- dated 25.04.2024, Receipt No. 713026282.

  
Medical Officer of Health

  
PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/L.S.I

Date: 22/07/2024

No:- Format1.0/CAC/UAN No.0000195649/CO/2407002043

To,  
P. D. Hinduja Hospital & MRC, Veer Savarkar Marg,  
Mahim - 400016.  
Email: [kiran.narvankar@hindujahospital.com](mailto:kiran.narvankar@hindujahospital.com)  
Contact No.:9987087752




Your Service is Our Duty

*Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) with increase in CI under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Previous Combine Consent to Operate and Bio-Medical Waste Authorization granted by the Board vide dated 16.08.2019, valid up to 31.01.2024.
  2. Your applications for Consent to Establish for expansion & Renewal of Combine Consent and Bio-Medical Waste Authorization vide UAN No. 194629 & 195649, dated 25/01/2024 respectively.
  3. Minutes of 3rd Consent Appraisal Committee meeting held on 17.05.2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-01-2024 To 31-01-2029**
2. The capital investment of the HCF is **₹58154.16** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3421.00 M<sup>2</sup> with Built-up area 16771.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **366 Nos.** (As per BNH certificate no. 761411123 valid upto 31-03-2026)
    - I. General Beds : **287 Nos**
    - II. ICU/ICU Beds : **62 Nos**
    - III. Operation Theatre : **12 Nos**
    - IV. Other Beds : **5 Nos**

  
PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 330 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set and Boiler(s) as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set and Boiler(s) as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


| Sr No | Type of Waste                                   | HW Category no. | Quantity | UOM      | Disposal                             |
|-------|---|-----------------|----------|----------|--------------------------------------|
| 1     | 35.3 Chemical sludge from waste water treatment | 35.3            | 500      | Kg/Annum | CHWTSDF                              |
| 2     | 5.1 Used or spent oil                           | 5.1             | 100      | Ltr/A    | Sale to authorized party for recycle |

**8. Conditions about Non Hazardous Wastes:-**

| Sr No | Type of Waste       | Quantity | UoM    | Treatment                  | Disposal               |
|-------|---------------------|----------|--------|----------------------------|------------------------|
| 1     | Biodegradable waste | 250      | Kg/Day | OWC followed by Composting | Used as manure         |
| 2     | Dry waste           | 150      | Kg/Day | Segregation                | Handover to Local Body |

**9. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

  
PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



**10. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **SMS ENVOCLEAN PVT. LTD, Mumbai** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. HCE Authority shall properly operate STP & ETP to achieve consented norms.
19. The treated effluent/sewage shall recycle to maximum extent for secondary purposes such as HVAC cooling tower make up, toilet flushing & remaining on land for gardening /Municipal sewer line.
20. HCE shall submit BGs as per HCE BG regime.
21. You shall submit the bank guarantee of INR 2.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Mumbai within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

  
PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



22. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Dinaz*

46008f91  
cec84eed  
1f9dee6c  
a3c83073  
9d55501b  
8139c5af  
059b22ef  
cd47601d

Signed by: Dr. Avinash Dhakne  
Member Secretary  
For and on behalf of  
Maharashtra Pollution Control Board  
ms@mpcb.gov.in  
2024-07-22 14:59:31 IST

**Received Consent/Authorization fee of -**

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date       | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1     | 5815420.00  | MPCB-DR-24034      | 25/01/2024 | NEFT             |
| 2     | 1140361.00  | MPCB-DR-26031      | 29/04/2024 | NEFT             |
| 3     | 652720.00   | MPCB-DR-27425      | 19/07/2024 | NEFT             |

**Copy to:**

1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai I  
- They are directed to ensure the compliance of consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.
4. CAC Desk - for record & updation purposes.

*Urakhan*  
PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



**Annexure - I****Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

| Sr. No. | Purpose for water consumed   | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1.      | Industrial Cooling, spraying in mine pits or boiler feed                                       | 0.00                             |
| 2.      | Domestic purpose   | 285.00                           |
| 3.      | Processing whereby water gets polluted & pollutants are easily biodegradable                   | 45.00                            |
| 4.      | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00                             |
| 5.      | Other such as agriculture, gardening, etc.   | 0.00                             |

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

| Sr. No. | Description     | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal   |
|---------|-----------------|---------------------------------------|--------------------------|--|
| 1       | Domestic Sewage | 250                                   | As per clause 'C'        | Recycle maximum and remaining used on land for gardening/disposed in to sewerage system of local body. |
| 2       | Trade effluent  | 30                                    | As per clause 'C'        | As above   |

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

| Sr. No. | Parameters             | Discharge Standards applicable                         |
|---------|------------------------|--|
|         |                        | Limiting Concentration in mg/except for pH             |
| 1       | pH                     | 6.5-9.0  |
| 2       | Oil & Grease           | 10   |
| 3       | BOD (3 days 27°C )     | 30   |
| 4       | COD                    | 250  |
| 5       | Total Suspended Solids | 100  |
| 6       | Bio-Assay Test         | 90 % survival of fish after 96 hours in 100 % effluent |

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

  
**PRINCIPAL**  
**P.D. HINDUJA COLLEGE OF**  
**NURSING MUMBAI**



**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

| <b>Sr. No.</b> | <b>Stack Attached to</b> | <b>Fuel Type</b> | <b>Quantity</b> | <b>Stack Height (Mtr)</b> |
|----------------|--------------------------|------------------|-----------------|---------------------------|
| 1              | Boiler                   | PNG              | 36.08 Kg/Day    | 76.20                     |
| 2              | DG Set (2 x 1500 KVA)    | HSD              | 197.00 Ltr/Hr   | 7.70                      |
| 3              | DG Set (1010 KVA)        | HSD              | 92.00 Ltr/Hr    | 7.70                      |
| 4              | DG Set (320 KVA)         | HSD              | 46.00 Ltr/Hr    | 3.50                      |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

*[Handwritten Signature]*



**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No | Category            | Type of Waste   | Quantity not to exceed (Kg/Month) | Segregation Colour coding  | Treatment & Disposal   |
|--------|---------------------|---|-----------------------------------|--|--|
| 1      | Yellow              | a) Human Anatomical waste   | 101.00                            | Yellow coloured non- chlorinated plastic bags.                               | Bio medical Waste shall be sent to MPCB authorized BMW-CTF SMS ENVOCLEAN PVT. LTD, Mumbai Mumbai |
|        |                     | b) Animal Anatomical Waste  | 0.00                              |  |  |
|        |                     | c) Soiled Waste   | 1345.00                           |  |  |
|        |                     | d) Expired or Discarded Medicines   | 113.00                            |  |  |
|        |                     | e) Chemical Waste   | 30.00                             |  |  |
|        |                     | f) Chemical Liquid Waste  | 7900.00                           | Separate collection system leading to effluent treatment system.             |  |
|        |                     | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 0.00                              | Yellow coloured non - chlorinated plastic bags or suitable packing material. |  |
|        |                     | h) Microbiology Biotechnology and other clinical laboratory waste               | 1289.00                           | Autoclave safe plastic bags or containers.                                   |  |
| 2      | Red                 | Contaminated waste (Recyclable)   | 1242.00                           | Red coloured non chlorinated plastic bags or containers.                     | Bio medical Waste shall be sent to MPCB authorized BMW-CTF SMS ENVOCLEAN PVT. LTD, Mumbai Mumbai |
| 3      | White (Translucent) | Waste sharps including Metals   | 1062.00                           | Puncture proof, Leak proof, tamper proof container.                          | Bio medical Waste shall be sent to MPCB authorized BMW-CTF SMS ENVOCLEAN PVT. LTD, Mumbai Mumbai |
| 4      | Blue                | a) Glassware  | 560.00                            | Puncture proof, Leak proof with Blue coloured marking.                       | Bio medical Waste shall be sent to MPCB authorized BMW-CTF SMS ENVOCLEAN PVT. LTD, Mumbai Mumbai |
|        |                     | b) Metallic body implants   | 0.00                              |  |  |

*Malsalan*  
 PRINCIPAL  
 P.D. HINDUJA COLLEGE OF  
 NURSING Mumbai



## SCHEDULE-II

### **Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **SMS ENVOCLEAN PVT. LTD, Mumbai** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Mumbai and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

*Walsalan*

PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

| <b>Sr.No</b> | <b>Activity / Condition to be Complied</b>   | <b>Compliance Timeline (Months)</b> | <b>Bank Guarantee Amount</b> |
|--------------|--|-------------------------------------|------------------------------|
| <b>1A</b>    | <b>Operation and Maintenance</b>   |                                     |                              |
| 1            | To Segregate and Handle BMW as per Schedule I  | Continuous                          | 50,000.00                    |
| 2            | Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards   | Continuous                          | 50,000.00                    |
| <b>1B</b>    | <b>Records</b>   |                                     |                              |
| 1            | To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year | Continuous                          | 25,000.00                    |
| 2            | To maintain records of BMW handed over to CBMWTDF  | Continuous                          | 25,000.00                    |
| <b>2</b>     | <b>Performance</b>   |                                     |                              |
| 1            | To provide BMW separate storage facility as per guidelines of CPCB   | Continuous                          | 75,000.00                    |
| <b>Total</b> |  |                                     | <b>2,25,000.00</b>           |

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

*Malsalan*  
PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING MUMBAI



## SCHEDULE-IV

### **General Conditions**

#### **The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Mumbai.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

*Walsalan*

PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



*Malsalan*

PRINCIPAL  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai



**P.D.HINDUJA HOSPITAL & MEDICAL RESEARCH CENTRE**  
**SPECIFICATION OF BED DETAILS**

| SN  | FLOOR            | WARD  | DISTRIBUTION OF BEDS<br>IN SELECTED CLINICAL<br>AREAS |
|---|------------------|---|---|
| 1   | 2 <sup>nd</sup>  | ICU   | 20  |
| 2   | 4 <sup>th</sup>  | Stop over unit                                | 12  |
| 3   | 7 <sup>th</sup>  | Pediatric unit                                | 10  |
|   |                  | Special Medical Surgical Pediatric unit       | 12  |
| 4   | 7 <sup>th</sup>  | PICU&NICU                                     | 09  |
| 5   | 8 <sup>th</sup>  | General Medical & Surgical unit               | 42  |
| 6   | 9 <sup>th</sup>  | Medical Surgical unit                         | 42  |
| 7   | 10 <sup>th</sup> | ICU   | 23  |
| 8   | 11 <sup>th</sup> | Special Medical /Surgical unit                | 24  |
| 9   | 12 <sup>th</sup> | Special Medical /Surgical unit                | 24  |
| 10  | 13 <sup>th</sup> | Special Medical /Surgical unit                | 26  |
| 11  | 14 <sup>th</sup> | Special Medical /Surgical unit                | 24  |
| 12  | 15 <sup>th</sup> | Deluxe room                                   | 14  |
| 13  | 16 <sup>th</sup> | Oncology Ward/ Medical Surgical / Day<br>care | 33  |
| <b>GENERAL MEDICINE / SURGICAL</b>  |                  |   |   |
| 14  | S1 Building      | 1 <sup>st</sup> floor                         | 17  |
|   |                  | 2 <sup>nd</sup> floor                         | 16  |
|   |                  | 12 <sup>th</sup> floor                        | 10  |
|   |                  | 13 <sup>th</sup> floor                        | 15  |
|   |                  | Short stay services                           | 19  |
|   |                  | Day care                                      | 4   |
|   |                  | IVF   | 4   |
|   |                  | <b>Total</b>                                  | <b>400</b>  |
| P.D. HINDUJA HOSPITAL, KHAR<br>Marvella Building 11th Road Off P.D. Hinduja Marg Khar (W)<br>Mumbai |                  |   | <b>110</b>  |

=

*Malsalan*  
**PRINCIPAL**  
P.D. HINDUJA COLLEGE OF  
NURSING Mumbai